



V-SKIN

Introducing the new V-Skin range of interactive touch overlays from Videofonika. It could not be any easier to retro fit and apply an interactive touch layer to your monitor.

Key product features:

- 6 or 10 point fully HID compliant touch technology...
so no drivers to install.
- Touch powered via USB connector...
so no additional power supply to worry about.
- Easy-fit fixing clips to secure the overlay to the monitor...
so no tools required.
- Fitted with high quality toughen glass...
so your monitor screen is fully protected.
- Anti-Glare coating applied to glass...
helps prevent bright light reflecting off screen surface.
- Low friction surface finish...
means smooth touch enhancing user experience.





Specification

TOUCH SCREEN

Available sizes	32" – 98"
Glass	3-4 mm toughened AntiGlare
Light transparency	90% with AntiGlare
Touch points	2 - 32
Touch technology	Infrared
Touch interpolation	32767 (W) x 32767 (D)
Response time	≤20ms
Touch accuracy	2mm (over 90% area)
Touch durability	Unlimited
Touch method	Finger, Goved finger, Opaque objects
Operating system	Windows 2000, XP, Vista, Windows 7, Windows 8, Mac OS X , Ubuntu/Fedora
Scan rate	Do 200 fps
Available objects sizes for touch	Φ 5 mm
Supply voltage	USB / DC+5V
Operating temperature	-10°~50°
Storage temperature	-20°~60°
Operating humidity	10%~ 85%
Storage humidity	10%~ 90%
ESD	EN 6100-4-2 2008: 3 level. 4KV contact discharge and 8 KV air discharge
Anti-light interference	Excellent
Warranty	2 years return to base

